


Data sheet | Item number: 706-7753/300-100

System cable; for WAGO-I/O-SYSTEM, 753 Series; 8 digital inputs or outputs; Length: 1 m (1 MOhm); Conductor cross-section: 0.14 mm²




www.wago.com/706-7753_300-100



RoHS Compliant

BOMcheck.net



Item description

WAGO ribbon cables provide fast and easy connection of WAGO I/O modules equipped with pluggable connectors (e.g., 753-430, -431, -530) to appropriate interface or relay modules featuring a 10-pole female connector.

Note:

* Observe maximum operating temperature of the WAGO I/O modules used.

Data

Technical Data

General specifications

| | |
|--------------------------|-----|
| Max. current per channel | 1 A |
|--------------------------|-----|

Safety and protection:

| | |
|----------------------|------|
| Degree of protection | IP20 |
|----------------------|------|

Connection data

| | |
|--------------------|---------------------------|
| Color coding | per DIN VDE 47100 |
| Wire cross-section | 0.14 mm ² LiYY |

Geometrical Data

| | |
|--------------|-----|
| Cable length | 1 m |
|--------------|-----|

Material Data

| | |
|--------|------|
| Weight | 58 g |
|--------|------|

Environmental Requirements





| | |
|---|---------------|
| Surrounding air (operating) temperature | -25 ... 70 °C |
|---|---------------|

Commercial data

| | |
|-------------------|---------------|
| Country of origin | FR |
| GTIN | 4045454874100 |
| Product Group | 30 () |

Compatible products

transfer module

| | | |
|--|---|--|
|  | Item no.: 289-611 Interface module; for flat cable connectors per DIN 41651; 10-pole | www.wago.com/289-611 |
|  | Item no.: 704-2003 Interface module for system wiring; Pluggable connector per DIN 41651; Male connector; 10-pole; 8-channel digital input or output; 3-wire connection; Triple-deck PCB terminal blocks; in mounting carrier | www.wago.com/704-2003 |
|  | Item no.: 704-5003 Interface module for system wiring; Pluggable connector per DIN 41651; Male connector; 10-pole; 8-channel relay output; 1 changeover contact; 1 x cut-out; Triple-deck PCB terminal blocks; in mounting carrier | www.wago.com/704-5003 |
|  | Item no.: 704-5013 Interface module for system wiring; Pluggable connector per DIN 41651; Male connector; 10-pole; 8-channel relay output; 1 changeover contact; 1 x cut-out; Triple-deck PCB terminal blocks; with manual operation; in mounting carrier | www.wago.com/704-5013 |

Downloads

Documentation

Bid Text

| | | | |
|----------------------|--------------|---------|----------|
| 706-7753/300-100 | Jan 22, 2016 | DOC | Download |
| WAGO-Interface-Kabel | | 25.6 kB | |



Additional Information

Disposal; Electrical and electronic equipment, Packaging

Oct 15, 2018

Download

265.8 kB

Subject to changes.

WAGO Corporation
Germantown, WI 53022
32423 Minden
Phone: +49571 887-0 | Fax: (262) 255-6222
Email: info.us@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at {0}.